

IDC
Klaassen



epos
GOLDRING
ESTABLISHED 1906



Isotek®
bluehorizon®



Stable 33.33 .ö.
MILTY



Y O U R P A R T N E R W I T H S T R O N G B R A N D S

epos

Int`l Consumer Price List 2024/2

Valid from 01.03.2024

Please note:

This price list is intended for the internal use of authorized dealers. All previous price lists hereby lose their validity. The price list is only valid in conjunction with our general terms and conditions of business in the current version.

SRP = recommended retail price per pair including the applicable VAT.





IDC Klaassen International
Distribution & Consulting oHG
Am Brambusch 22
44536 Lünen

Telefon: +49 (0) 231 22 17 88 22
Telefax: +49 (0) 231-99 33 54 99
E-Mail: idc@idc-klaassen.com



This offer is subject to change. The price list and the prices contained therein are subject to change at any time. We reserve the right to make changes to product specifications without prior notice in the context of further developments. Errors and misprints excepted.



| Art.-Nr. | EAN Code | UVP € | Model / Farbe | Kurzbeschreibung |
|---------------|--------------------------------|----------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| ES-14N | | | | |
| EP200100 | 0676424993534 0676424993541 | 4.600,00 | EPOS ES-14N BK + Stand • Pair |  <p style="text-align: right;">Black</p> |
| EP100100P | 0676424993534 | 3.990,00 | EPOS ES-14N BK • Pair no stand | |
| EP200101 | 0676424993534 0676424993541 | 4.600,00 | EPOS ES-14N WH+ Stand • Pair |  <p style="text-align: right;">White</p> |
| EP100101P | 0676424993534 | 3.990,00 | EPOS ES-14N WH • Pair no stand | |
| EP200102 | 0676424993534 0676424993541 | 4.600,00 | EPOS ES-14N WN + Stand • Pair |  <p style="text-align: right;">Walnut</p> |
| EP100102P | 0676424993534 | 3.990,00 | EPOS ES-14N WN • Pair no stand | |
| EP200103 | 0676424993534 0676424993541 | 4.600,00 | ES-14N WB + Fuß • Pair |  <p style="text-align: right;">Water Blue</p> |
| EP100103P | 0676424993534 | 3.990,00 | ES-14N SE WB • Pair no stand | |

Frequency Response: 40Hz 23kHz (6dB)
33Hz-25kHz (10dB)

Average Impedance: > 6 Ohm

Minimum Impedance: 4.3 Ohm @ 160Hz

Sensitivity: 87dB @2.823V / 1m

Distortion: 0.2% THD @ 1W

Crossover Frequency: 2700 Hz

Bass Unit: High Power 7", 35 mm voice coil diameter , Hybrid Ferrite and Neodymium magnet , injection molded cone with variable thickness and Mica filling . Low hysteresis rubber surround

HF Unit: 28 mm tweeter with Aluminum Ceramic compound dome and no Ferrofluid



Dimensions: 491 x 250 x 385 mm (HWD)
Fuß: empf. Höhe 515 mm

Weight: 16 kg ohne Fuß

Cabinet: Reflex loaded , damped Sandwich panels , one dimensional braces , Low Noise Port, Duo Frontpanel

| Item No | EAN Code | SRP € | Model / Color | Brief description |
|----------|---------------|--------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EP100099 | 0676424993541 | 800,00 | EPOS ES-14N Stand • Pair | To give the speaker a home to sit on, a dedicated stand is available. The middle part is made as a massive wooden bar, combining 4 layers of wood, glued together with same damping glue used internally in the ES14N. The top plate is a double layer steel plate with a Bitumen layer in between and the bottom plate is a thick steel plate to hold adjustable spikes. The Speaker can be shipped without a stand, so other 55cm high stands can be used as well. |

ES-7 available from 2nd quarter 2024

| | | | | | |
|----------|---------------|----------|----------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EP100200 | 9506585497217 | 1.999,00 | EPOS ES-7N WN • Pair |  Walnut | Frequency Response: 48 Hz -28.000 Hz Average Impedance: 5 Ohm Minimum Impedance: 3,5 Ohm @ 15kHz Snsitivity: 86dB free, 89Db wall @2,83V Average less 0,3% |
| EP100201 | 9506316364283 | 1.999,00 | EPOS ES-7N WH • Pair |  White | Distortion: 2000 Hz Crossover Frequency: 130 mm Bass Unit: 28 mm |
| EP100202 | 9502357672875 | 1.999,00 | EPOS ES-7N BK • Pair |  Black | Dimensions: 28 x 20 x 27 cm Weight: 7,6 Kg |
| EP100203 | 9506619757997 | 1.999,00 | EPOS ES-7N OR • Pair |  Orange | Cabinet: Bassreflex |

PREMIUM AUDIO SOLUTIONS



FOR MORE INFORMATION PLEASE CONTACT

IDC Klaassen International Distribution & Consulting oHG
Am Brambusch 22 • D-44536 Lünen • Germany
E-Mail: idc@idc-klaassen.com | Tel: +49 (0) 231 22 17 88 22
www.idc-klaassen.com

Design and specifications are subject to change without notice and errors excepted..