

IDC
Klaassen



epos
isoTek



GOLDRING
CREEK



bluehorizon®
MILTY
Stable 33.33 .ö.



YOUR SALES PARTNER WITH THE STRONG BRANDS

Int`l RRP Pricelist 2024/2

valid from 01.12.2024



isoTek®
the power to perform

Please note:

Prices are non-binding recommended retail prices in units/set/metre and in euros, including applicable VAT. Price list, technical specifications and errors excepted. Previous IsoTek price lists are no longer valid

IDC Klaassen International
Distribution & Consulting oHG
Am Brambusch 22
44536 Lünen

Telefon: +49 (0)231 22 17 88 22
Telefax: +49 (0)231 99 33 54 99
E-Mail: idc@idc-klaassen.com
Internet: www.idc-klaassen.com
www.isoteksystems.com

[Dealer search click here](#)

[For test reports, click here](#)

Isotek[®]
the power to perform



**IF ELECTRICITY
WAS WATER,
THIS IS WHAT
YOU WOULD USE.**

CLEAN IT!



★ Give your
electronic
devices
the care they
deserve! ★


Disturbed sine wave

Corrected sine wave


PRODUCTS FOR THE PUREST SOUND

Power Bar Cleaners • Power Cables • Power Line Cleaners • DC Blockers • Sine Wave Generators •
Connectors & Accessories • Programmable Power Management

MORE INFORMATION isoteksystems.com

Item Code	EAN Code	Length/quantity	SRP €	
Power Cable				
Initium				
I101113	5060296410551	Initium mains cable (EU to C13 IEC) 1.5 metre	119,00 €	
I101313	5060296411923	Initium mains cable (EU to C13) 3.0 metre	239,00 €	
I101101	5060296411121	Initium mains cable 50 metre	1.720,00 €	
I101413	5060296412142	Initium mains cable (EU to C13) 3.0 metre	119,00 €	
Premier				
I101007	5060296410056	Premier mains cable (EU to C7 IEC) 1.5 metre	179,00 €	
I101013	5060296411091	Premier mains cable (EU to C13 IEC) 1.5 metre		
I101019	5060296410063	Premier mains cable (EU to C19 IEC) 1.5 metre		
I101035	5060296413446	Premier mains cable (EU to C13 IEC) 3.0 metre		
I101039	5060296412111	Premier mains cable (EU to C19 IEC) 3.0 metre	349,00 €	
I101213	5060296412128	Premier Link power cable (Neutrik to C13 IEC) 0.5 metre	179,00 €	
I101219	5060296412135	Premier Link mains cable (Neutrik to C19 IEC) 0.5 metre		
Sequel				
I102007	5060296410322	Sequel mains cable (EU to C7 IEC) 2.0 metre	319,00 €	
I102013	5060296410315	Sequel mains cable(EU to C13 IEC) 2,0 metre		
I102019	5060296410261	Sequel mains cable(EU to C19 IEC) 2,0 metre		
I102215	5060296410513	Sequel Link mains cable (Neutrik Power to C15) 50 cm	249,00 €	
I102219	5060296410568	Sequel Link-mains cable (Neutrik Power to C19) 50 cm	279,00 €	
I102315	5060296410902	Sequel Link-mains cable (Neutrik Power to C15) 1,0 metre		
I102319	5060296410919	Sequel Link-mains cable (Neutrik Power to C19) 1,0 metre	119,00 €	
I102000	5060296411282	per full meter		
i102001	5060296414368	Sequel mains cable 50 metre spool	5.890,00 €	
without connector, assembly on request				

Seite 3

Item Code	EAN Code	Length/quantity	SRP €	
Power Cable				
Elite				
I103007	5060296410087	Elite mains cable (EU to C7 IEC) 2,0 metre		
I103015	5060296410070	Elite mains cable (EU to C15 IEC) 2,0 metre	599,00 €	
I103019	5060296410094	Elite mains cable (EU to C19 IEC) 2,0 metre		
I103315	5060296412029	Elite mains cable (EU to C15 IEC) 3,0 metre	899,00 €	
I103319	5060296412005	Elite mains cable (EU to C19 IEC) 3,0 metre		
I103515	5060296412036	Elite mains cable (EU to C15 IEC) 5,0 metre	1.199,00 €	
I103519	5060296412012	Elite mains cable (EU to C19 IEC) 5,0 metre		
I103000	5060296411237	per full meter	229,00 €	
I103001	5060296414382	Elite mains cable 50 metre Spool	12.000,00 €	
without connector, assembly on request				
Optimum				
I104007	5060296410117	Optimum mains cable (EU to C7 IEC) 2,0 metre		
I104015	5060296410100	Optimum mains cable (EU to C15 IEC) 2,0 metre	999,00 €	
I104019	5060296410124	Optimum mains cable (EU to C19 IEC) 2,0 metre		
I104415	5060296412050	Optimum mains cable (EU to C15 IEC) 3,0 metre	1.799,00 €	
I104419	5060296412043	Optimum mains cable (EU to C19 IEC) 3,0 metre		
I104515	5060296412067	Optimum mains cable (EU to C15 IEC) 5,0 metre	2.799,00 €	
I104519	5060296412074	Optimum mains cable (EU to C19 IEC) 5,0 metre		
I104215	5060296410520	Optimum Link mains cable (Neutrik Power to C15) 50 cm	349,00 €	
I104219	5060296410575	Optimum Link mains cable (Neutrik Power to C19) 50 cm		
I104315	5060296410926	Optimum Link mains cable (Neutrik Power to C15) 1,0 metre	599,00 €	
I104319	5060296410933	Optimum Link mains cable (Neutrik Power to C19) 1,0 metre		
I104000	5060296411275	per full meter	519,80 €	
I104001	5060296414382	Optimum mains cable 50 metre Spool	25.990,00 €	
without connector, assembly on request				

Item Code	EAN Code	Length/quantity	SRP €	
Power Cable				
Ascension				
I105515	5060296410964	Ascension mains cable (EU to C15 IEC) 2,0 metre	3.999,00 €	
I105519	5060296410971	Ascension mains cable (EU to C19 IEC) 2,0 metre		
I105613	5060296411978	Ascension mains cable (EU to C15 IEC) 3,0 metre	4.999,00 €	
I105615	5060296411985	Ascension mains cable (EU to C15 IEC) 5,0 metre	6.999,00 €	
I105500		per full meter	1.450,00 €	
without connector, assembly on request				
Syncro cable eliminates DC interference				
I105015	5060296410131	Syncro mains cable (EU to C15 IEC) 2,0 metre	1.999,00 €	
I105019	5060296410148	Syncro mains cable (EU to C19 IEC) 2,0 metre		
I105020	5060296410155	Syncro mains cable (EU to Neutrik) 2,0 metre		
Syncro is also available as Upgrade Syncro Uni				
Iso Plug				
I100001	5060296410162	Eliminates common-mode and push-pull interference. Mounting directly next to the source of interference Helpful and cost-effective method for optimising multiple sockets. 8,000 A instantaneous short-circuit protection.	139,00 €	

Item Code	EAN Code	Length/quantity	SRP €	
V5 Syncro Uni Upgrade eliminates DC interference				
I505113	5060296412579	V5 Syncro Uni SI (C13/10A IEC to EU)	599,00 €	
I505213	5060296412586	V5 Syncro Uni BK (C13/10A IEC to EU)		
		with Premier 1,5 m C19	349,00 €	
		with Premier 3,0 m C19	948,00 €	
I505119	5060296412685	V5 Syncro Uni SI (C19/16A IEC to EU)	699,00 €	
I505219	5060296412692	V5 Syncro Uni BK (C19/16A IEC to EU)		
		with Premier 1,5 m C19	349,00 €	
		with Premier 3,0 m C19	1.048,00 €	
Mini Mira Upgrade for TV and Beam				
I106001	5060296410032	Improves sound and picture quality. Prevents the dangerous inrush currents that reduce component life.13,500 A instantaneous short-circuit protection. Eliminates common-mode and push-pull interference.	349,00 €	
		with Initium 1,5 m C13	468,00 €	
		with Initium 3,0 m C13	588,00 €	
		with Premier 1,5 m C13	528,00 €	
		with Premier 3,0 m C13	698,00 €	

Item Code	EAN Code	Length/quantity		SRP €
Power bars				
V5 Gemini 2-outlets power bar silver with on/off switch and Neutrik link outlet				
I507004	5060296412166			
				
				
		with Intium 1,5 m C 13		
		with Intium 3,0 m C 13		
with Premium 1,5 m C13				
with Premium3,0 m C13				
			399,00 €	
			518,00 €	
			638,00 €	
			578,00 €	
			748,00 €	
V5 Polaris 6-outlet power bar silver with on/off switch and Neutrik link outlet + power cable Intium 1,5 M C13				
I507011	5060296412227			
				
				
		with Intium 3,0 m C 13		
		with Premier 1,5 m C13		
			699,00 €	
			819,00 €	
			759,00 €	



Item Code	EAN Code	Length/quantity		SRP €
Power bars				
V5 Corvus 9-outlet power bar silver with on/off switch and Neutrik link outlet + power cable Intium 1,5 M C13				
I507005	5060296412289			899,00 €
		with Intium 3,0 m C 13 with Premier 3,0 m C 13		1.019,00 € 1.129,00 €
V5 Sirius 6-outlet power bar with power cable Premier 1,5 M C19				
I507012	5060296412531		Schwarz	1.100,00 €
I507013	5060296412463		Silber	
		with Premier 3,0 M C19 with Sequel 2,0 M C19 with Elite 2,0 M C19 with Elite 3,0 M C19 with Optimum 2,0 M C19 with Optimum 3,0 M C19		1.270,00 € 1.240,00 € 1.520,00 € 1.820,00 € 1.920,00 € 2.720,00 €
		 Colours		

Item Code	EAN Code	Length/quantity	SRP €
-----------	----------	-----------------	-------

Power line cleaners passive

V5 Elektra 6 outlet (2/4) power line cleaner with power cable

I508003	5060296412364	Black		1.699,00 €	 Colours
I508004	5060296412357	Silver		1.819,00 €	
With upgrade of the connection cable to	Initium	3,0 m C13		1.929,00 €	
	Premier	3,0 m C13		1.839,00 €	
	Sequel	2,0 m C13		2.119,00 €	
	Elite	2,0 m C13 - 3 and 5 meter on request -		2.519,00 €	
	Optimum	2,0 m C13 - 3 and 5 meter on request -		3.519,00 €	
	Syncro	2,0 m power cable			

V5 Aquarius 6 outlet (2/4) power line cleaner with power cable Premier 1,5 m C19

I508001	5060296412791	Silver		2.599,00 €	 Colours
i508002	5060296412807	Black		2.769,00 €	
With upgrade of the connection cable to	Premier	3,0 m C13		2.739,00 €	
	Sequel	2,0 m C13		3.019,00 €	
	Elite	2,0 m C13 - 3 and 5 meter on request -		3.419,00 €	
	Optimum	2,0 m C13 - 3 and 5 meter on request -		4.419,00 €	
	Syncro	2,0 m power cable			

Item Code	EAN Code	Length/quantity		SRP €	
Power line cleaners passive					
EVO3 Sigmas 6 outlet (2/4) power line cleaner with power cable Premier 1,5 m C19					
		Silver & Black		3.499,00 €	
SOLD OUT					
V5 Sigmas 7 outlet (3/4) power line cleaner with power cable Premier 1,5 m C19					
I508006	5060296412906			silver	NEW PRODUCT 4.599,00 € 
I508007	5060296412913	Colours		black	
With upgrade of the connection cable to		Premier	3,0 m C19	4.769,00 €	
		Sequel	2,0 m C19	4.739,00 €	
		Elite	2,0 m C19 - 3 and 5 meter on request -	5.019,00 €	
		Optimum	2,0 m C19 - 3 and 5 meter on request -	5.419,00 €	
		Syncro	2,0 m C19	6.419,00 €	
Nova 12 outlet (4/8) power line cleaner with integrated Syncro technologie and power cable Premier 1,5 m C19					
I108008	5060296411060			Silver	7.999,00 € 
I108009	5060296411077	Colours		Black	
With upgrade of the connection cable to		Premier	3,0 m C19	8.169,00 €	
		Sequel	2,0 m C19	8.139,00 €	
		Elite	2,0 m C19 - 3 and 5 meter on request -	8.419,00 €	
		Optimum	2,0 m C19 - 3 and 5 meter on request -	8.819,00 €	
		Syncro	2,0 m C19	9.819,00 €	

Item Code	EAN Code	Length/quantity		SRP €	
Power line cleaners passive					
V5 Titan 3 outlet power line cleaner especially for appliances with high alternating current requirements (as power amp etc.) with power cable Premier 1,5 m C19					
I509006	5060296413019	Silver		4.999,00 €	
I509005	5060296413026	Black			
		  Colours		5.169,00 €	
With upgrade of the connection cable to	Premier	3,0 m C19			
	Sequel	Sequel	2,0 m C19	5.139,00 €	
	Elite	2,0 m C19 - 3 and 5 meter on request -		5.419,00 €	
	Optimum	2,0 m C19 - 3 and 5 meter on request -		5.819,00 €	
	Syncro	2,0 m C19		6.819,00 €	
	Ascension	2,0 m C19 - 3 and 5 meter on request -		8.819,00 €	

Item Code	EAN Code	Length/quantity	SRP €
-----------	----------	-----------------	-------

**Ultimative IsoTek
Power Conditioner Serie**

**Super Titan passiver power line cleaner with 4 outlets
especially for appliances with high alternating current requirements
(as power amp etc.) with 1.5 m Otimum power cable Schuko to PowerCon**

I109020	5060296410407	Silver	15.999,00 €
I109021	5060296410506	Black on request	



**Super Titan (32 ampere version) passiver power line cleaner with 4 outlets
especially for appliances with high alternating current requirements
(as power amp etc.) with 1.5 m Otimum power cable Schuko to PowerCon 32A and 4 x Optimum 1.5 Meter to C15 or C19**

I109032	5060296410391	Silver	17.999,00 €
I109033	5060296410490	Black on request	



Item Code	EAN Code	Length/quantity	SRP €
-----------	----------	-----------------	-------

**Genesis 600 Watt activ Power generator for a maximum of 4 source devices
with 1,5 meter Premier power cable**


I109004	5060296410414	Silver	24.999,00 €
I109003	5060296410582	Black on request	
MWith upgrade of the connection cable to		Syncro 2,0 m power cable	26.819,00 €
		Ascension 2,0 m power cable - 3 and 5 meter on request -	28.819,00 €



**Super Nova passiver Netzfilter für maximal 8 Quellgeräte
+ 1,5 Meter Premier Anschlusskabel**

I109001	5060296411862	Silber	17.999,00 €
I109002	5060296411879	Schwarz auf Anfrage	
With upgrade of the connection cable to		Syncro 2,0 m power cable	19.819,00 €
		Ascension 2,0 m power cable - 3 and 5 meter on request -	21.819,00 €



Item Code	EAN Code	Length/quantity	SRP €	
IsoTek Accessories				
Power plugs				
I100007	5060296410445	C7	79,90 €	
I100015	5060296410452	C15		
I100019	5060296410469	C19		
I100008	5060296410421	EU Schuko		
Ascension power plugs on request				
I100011	5060296412081	Ascension C15	299,00 €	
I100012	5060296412098	Ascension C19		
I100016	5060296412104	Ascension EU Schuko		
I100013		Ascension Neutrik		
Adapter only for short-term test mode				
I100014	5060296410537	C13/15 plug to C19 Plug	29,90 €	
I100020	5060296410544	C19 Plug to C14/15 plug		
M6 Spikes & Shoes (4 pcs)				
I100021	5060296411893	 Loadable up to 100 KG 	99,95 €	


Item Code	EAN Code	Length/quantity	SRP €	
IsoTek Accessories				
Full System Enhancer CD				
I100101	5060296410438	Perfect play-in CD for all new compo-nents. Full demagnetisation of your entire system. Simple, cost-effective solution.	29,90 €	
System Setup CD				
I100102	5060296410001	Evaluation of the channels. Phase test. Test of loudspeaker positioning and surround sound. Verification of the frequency range. Six pieces of music from the Opus3 label for the system test after calibration.	29,90 €	
Mains Noise Analyser				
MNA DE 220	5060296410988	This device measures the interfering parts in the power supply and displays them in parts per thousand. An inferior power supply affects the sound and picture quality of high-quality AV components.	1.020,00 €	
Set of RIAA Filter + IsoTek's Full System Enhancer CD				
B401005	5060296410797	"Ultimate play-in/ burn-in solution for phono preamplifiers"	99,95 €	
All products benefit from a burning in/running in period of time. Phono stages used with analogue replay are no exception. With this small yet effective Blue Horizon RIAA Filter you can now directly connect your CD player to your phono stage and put CDs on repeat. Historically to optimise a phono stage new owners would need to play LP records for at least 72+ hours. This would require LP records to be played on turntable, causing record wear, cartridge wear and the need to turn the record over, approximately every 15 minutes. With the small yet effective Blue Horizon RIAA Filter you can now directly connect your CD player to your phono stage and put CDs on repeat. The most effective way however is to use this product in combination with the IsoTek Full System Enhancer CD that also features a dedicated Phono Stage burn-in track. Each channel can be conditioned independently giving great control and an easy performance boost. Easy selection between Moving Coil and Moving Magnet cartridge designs. Simply plug the Blue Horizon RIAA filter into the input sockets of your phono stage, and connect your CD player using standard RCA connectors and interconnect cable. Simple and effective. Each RIAA filter is supplied in full colour branded box packaging for easy display.				

Item Code	EAN Code	Length/quantity	SRP €
			

Control your power supply

For almost 20 years, IsoTek has been developing internationally award-winning products that ensure a clean, all-round optimised power supply for all audio and home cinema components. They enhance the performance and playback quality of amplifiers and source devices as well as TV screens and projectors, and also protect valuable components from surges and dips.

IsoTek SMART Power combines the company's expertise in power conditioning with sophisticated programming capabilities. The three models, Alpha, Delta and Theta, provide professional installers with power management, control and security monitoring via RS232, LAN and WLAN through a secure online interface and dedicated codex for Control 4 and Crestron.




Control at the touch of a finger

The SMART Power products can be fully controlled remotely via various access points, including a specially developed smartphone app available for iOS and Android.

Name the individual outputs and switch them on and off remotely, programme switch-on and delay times in the event of a restart. Find out about power consumption and create product groups.

Regulate the power consumption of your system or installation.

Item Code	EAN Code	Length/quantity	SRP €
			
Smart Power Lite Versions - not programmable -			
I801010 I801011	5060296411541 5060296411534	Alpha Lite - schwarz Alpha Lite - silber	879,00 €
		Number of outlets: 8 x C14 IEC Mains voltage: 100-240V / 50-60Hz Maximum current: 10 A Total wattage: 2.300 W (230V) / 1.150 W (115V) Surge protection: 40.000 A Dimensions (W X D X H): 448 x 180 x 44,5 (BxHxT) Mounting: 19 inch rack system (removable)	
I801020 I801021	5060296411589 5060296411572	Delta Lite - black Delta Lite - silver	1.249,00 €
		Number of outlets: 16 x C14 IEC Mains voltage: 100-240V / 50-60Hz Maximum current: 16 A Total wattage: 2.300 W (230V) / 1.150 W (115V) Surge protection: 54.000 A Dimensions (W X D X H): 448 x 305 x 89 (BxTxH) Mounting: 19 inch rack system (removable)	

Item Code	EAN Code	Length/quantity	SRP €
-----------	----------	-----------------	-------



Smart Power programmable power management

IsoTek SMART Power combines the company's power cleaning expertise with the ability to centrally programme the power supply. Installers can manage the three SMART Power models Alpha, Delta and Theta via the RS232 interface, LAN or WLAN, as well as integrate them into smart home systems from Control 4 and Crestron.

I802010	5060296411565	Alpha SMART - black	1.879,00 €
I802011	5060296411558	Alpha SMART - silver	
		Number of outlets: 8 x C14 IEC Mains voltage: 100-240V / 50-60Hz Maximum current: 10 A Total wattage: 2.300 W (230V) / 1.150 W (115V) Surge protection: 54.000 A Dimensions (W X D X H): 448 x 180 x 44,5 (BxTxH) Mounting: 19 inch rack system (removable)	

I802020	5060296411602	Delta SMART - black	3.190,00 €
I802021	5060296411596	Delta SMART - silver	
		Number of outlets: 16 x C14 IEC Mains voltage: 100-240V / 50-60Hz Maximum current: 16 A Total wattage: 2300 W (230V) / 1.150 W (115V) Surge protection: 54.000 A Dimensions (W X D X H): 448 x 305 x 89 (BxTxH) Mounting: 19 inch rack system (removable)	




Smart Power Accessories

I101101	5060296411121	Initium mains cable 50 metre	1.720,00 €
I800014	5060296411299	8 Initium 1.5 M cable C14 output to C13 input	729,00 €
I800814	5060296411718	8 standard C14 output connectors	52,00 €
I800813	5060296411725	8 standard C13 output plugs	52,00 €
I801015		10 Audiophile 24ct gold C13/15 output plugs	760,00 €

CLEAN POWER, PURE SOUND



The first input into any audio or AV system is electricity, it is the 'raw material' from which the electronics you own needs to function. The quality of this first input will affect performance either positively or negatively.

The mains supply is distorted by numerous factors, this erodes the performance of high-quality audio and AV systems. As the electronic devices we use proliferate and the demand for electrical power intensifies, the quality of the electricity we feed our systems continues to slide.

The escalation of mains-borne 'noise' means that the need for IsoTek's clean-power technology has never been greater. 'Differential mode noise' is especially exacerbated by the switch-mode power supplies that are common in many modern devices, from computers to kitchen appliances. 'Common mode noise' is ever-increasing thanks to wireless networking in the home, with mobile phones, wi-fi and Bluetooth bathing us in a sea of airborne interference.

The quality of electricity we use to feed our audio or AV systems has a profound effect on performance.

PREMIUM AUDIO SOLUTIONS



FOR MORE INFORMATION PLEASE CONTACT

IDC Klaassen International Distribution & Consulting oHG
Am Brambusch 22 • D-44536 Lünen • Germany
E-Mail: idc@idc-klaassen.com | Tel: +49 (0) 231 22 17 88 22
www.idc-klaassen.com

Design and specifications are subject to change without notice and errors excepted